

CLAIMS

We claim:

1. A method of classifying a tumor comprising the steps of:
providing a tumor sample;
detecting expression or activity of a gene encoding the polypeptide of SEQ ID NO:1 in
the sample; and
classifying the tumor as belonging to a tumor subclass based on the results of the
detecting step.

2. A method of classifying a tumor comprising the steps of:
providing a tumor sample;
detecting expression or activity of a gene encoding the polypeptide of SEQ ID NO:2 in
the sample; and
classifying the tumor as belonging to a tumor subclass based on the results of the
detecting step.

3. A method of classifying a tumor comprising the steps of:
providing a tumor sample;
detecting expression or activity of a gene encoding the polypeptide of SEQ ID NO:3 in
the sample; and
classifying the tumor as belonging to a tumor subclass based on the results of the
detecting step.

4. A method of classifying a tumor comprising the steps of:
providing a tumor sample;

1 detecting expression or activity of at least two genes selected from the group consisting
2 of: a gene encoding the polypeptide of SEQ ID NO:1, SEQ ID NO:2, and SEQ ID NO:3 in the
3 sample; and

4 classifying the tumor as belonging to a tumor subclass based on the results of the
5 detecting step.

6
7 5. The method of any of claims 1, 2, 3, or 4, wherein the detecting step comprises detecting the
8 polypeptide or polypeptides.

9
10 6. The method of claim 5, wherein the polypeptide is detected by performing
11 immunohistochemical analysis on the sample using an antibody that specifically binds to the
12 polypeptide.

13
14 *R126* 7a. The method of claim 5, wherein the polypeptide is detected by performing an ELISA assay
15 using an antibody that specifically binds to the polypeptide.

16
17 *8b* 8b. The method of claim 5, wherein the polypeptide is detected using an antibody array
18 comprising an antibody that specifically binds to the polypeptide.

19
20 *9c* 9c. The method of claim 5, wherein the detecting step comprises:
21 detecting modification of a substrate by the polypeptide.

22
23 *10d* 10d. 7. The method of any of claims 1, 2, 3, or 4, wherein classifying a tumor comprises:
24 stratifying a subject having the tumor for a clinical trial.

25
26 *11* 8. The method of claim 7, wherein the tumor is a breast tumor.

27
28 *12* 9. The method of any of claims 1, 2, 3, or 4, wherein the tumor is a breast tumor and the tumor
29 subclass is a basal tumor subclass.

1

2 13 1a. The method of claim 1, further comprising:

3 providing diagnostic, prognostic, or predictive information based on the classifying step.

4

5 14 2a. The method of claim 2, further comprising:

6 providing diagnostic, prognostic, or predictive information based on the classifying step.

7

8 15 3a. The method of claim 3, further comprising:

9 providing diagnostic, prognostic, or predictive information based on the classifying step.

10

11 16 4a. The method of claim 4, further comprising:

12 providing diagnostic, prognostic, or predictive information based on the classifying step.

13

14 17 5a. The method of claim 5, further comprising:

15 providing diagnostic, prognostic, or predictive information based on the classifying step.

16

17 18 6aa. The method of claim 5a, wherein the polypeptide is detected by performing

18 immunohistochemical analysis on the sample using an antibody that specifically binds to the

19 polypeptide.

20

21 19 6ab. The method of claim 5a, wherein the polypeptide is detected by performing an ELISA assay

22 using an antibody that specifically binds to the polypeptide.

23

24 20 6ac. The method of claim 5a, wherein the polypeptide is detected using an antibody array

25 comprising an antibody that specifically binds to the polypeptide.

26

27 21 6ad. The method of claim 5a, wherein the detecting step comprises:

28 detecting modification of a substrate by the polypeptide.

29

1 ~~22~~^{13, 14, 15, 16} 2a. The method of any of claims ~~1a, 2a, 3a~~, or ~~4a~~, wherein the tumor is a breast tumor and the
2 tumor subclass is a basal tumor subclass.

3

4 ~~23~~¹⁸ 1g. The method of claim 1, further comprising:
5 selecting a treatment based on the classifying step.

6

7 ~~24~~¹⁹ 2g. The method of claim 2, further comprising:
8 selecting a treatment based on the classifying step.

9

10 ~~25~~²⁰ 3g. The method of claim 3, further comprising:
11 selecting a treatment based on the classifying step.

12

13 ~~26~~²¹ 4g. The method of claim 4, further comprising:
14 selecting a treatment based on the classifying step.

15

16 ~~27~~²² 5g. The method of claim 5, further comprising:
17 selecting a treatment based on the classifying step.

18

19 ~~28~~²³ 6ag. The method of claim ~~5a~~²⁷, wherein the polypeptide is detected by performing
20 immunohistochemical analysis on the sample using an antibody that specifically binds to the
21 polypeptide.

22

23 ~~29~~²⁴ 6bg. The method of claim ~~5b~~²⁷, wherein the polypeptide is detected by performing an ELISA assay
24 using an antibody that specifically binds to the polypeptide.

25

26 ~~30~~²⁵ 6cg. The method of claim ~~5c~~²⁷, wherein the polypeptide is detected using an antibody array
27 comprising an antibody that specifically binds to the polypeptide.

28

29 ~~31~~²⁶ 6dg. The method of claim ~~5d~~²⁷, wherein the detecting step comprises:

1 detecting modification of a substrate by the polypeptide.

2

3 ^{13, 14, 15, 16}
~~32g~~ The method of any of claims ~~1g~~, 2g, 3g, or 4g, wherein the tumor is a breast tumor and the
4 tumor subclass is a basal tumor subclass.

5

6 ³³~~31m~~. A method of testing a subject comprising the steps of:

7 providing a sample isolated from a subject;

8 detecting expression or activity of a gene encoding the polypeptide of SEQ ID NO:1 in
9 the sample; and

10 providing diagnostic, prognostic, or predictive information based on the detecting step.

11

12 ³³
~~32m~~. A method of testing a subject comprising the steps of:

13 providing a sample isolated from a subject;

14 detecting expression or activity of a gene encoding the polypeptide of SEQ ID NO:2 in
15 the sample; and

16 providing diagnostic, prognostic, or predictive information based on the detecting step.

17

18 ³⁴
~~33m~~. A method of testing a subject comprising the steps of:

19 providing a sample isolated from a subject;

20 detecting expression or activity of a gene encoding the polypeptide of SEQ ID NO:3 in
21 the sample; and

22 providing diagnostic, prognostic, or predictive information based on the detecting step.

23

24 ³⁵
~~4m~~. A method of testing a subject comprising the steps of:

25 providing a sample isolated from the subject;

26 detecting expression or activity of at least two genes selected from the group consisting
27 of: a gene encoding the polypeptide of SEQ ID NO:1, SEQ ID NO:2, and SEQ ID NO:3 in the
28 sample; and

29 providing diagnostic, prognostic, or predictive information based on the detecting step.

1

2 ^{33 34 35 36}
3 ~~36~~ 5m. The method of any of claims 1m, 2m, 3m, or 4m, wherein the detecting step comprises
4 detecting the polypeptide or polypeptides.

4

5 ³⁶
6 ~~31~~ 6m. The method of claim 5m, wherein the polypeptide is detected by performing
7 immunohistochemical analysis on the sample using an antibody that specifically binds to the
8 polypeptide.

8

9 ³⁶
10 ~~38~~ 6ma. The method of claim 5m, wherein the polypeptide is detected by performing an ELISA
11 assay using an antibody that specifically binds to the polypeptide.

11

12 ³⁶
13 ~~39~~ 6mb. The method of claim 5m, wherein the polypeptide is detected using an antibody array
14 comprising an antibody that specifically binds to the polypeptide.

14

15 ³⁶
16 ~~40~~ 6mc. The method of claim 5m, wherein the detecting step comprises:
17 detecting modification of a substrate by the polypeptide.

17

18 ^{33 34 35 36}
19 ~~41~~ 9m. The method of any of claims 1m, 2m, 3m, or 4m, wherein the sample is selected from the
20 group consisting of:
21 a blood sample, a urine sample, a serum sample, an ascites sample, a saliva sample, a cell,
22 and a portion of tissue.

22

23 ^{33 34 35 36}
24 ~~42~~ 10m. The method of any of claims 1m, 2m, 3m, or 4m, wherein the sample is a tumor sample.

24

25 ⁴²
26 ~~43~~ 11m. The method of claim 10m, wherein the tumor sample is a breast tumor sample.

26

27 ⁴⁴
28 ~~44~~ 11r. A method of testing a subject comprising the steps of:
providing a sample isolated from a subject;

09916349-072601
T09270-6439T660

1 detecting expression or activity of a gene encoding the polypeptide of SEQ ID NO:1 in
2 the sample; and
3 stratifying the subject for a clinical trial based on the detecting step.

4

5 ⁴⁵~~2r~~ A method of testing a subject comprising the steps of:

6 providing a sample isolated from a subject;

7 detecting expression or activity of a gene encoding the polypeptide of SEQ ID NO:2 in
8 the sample; and

9 stratifying the subject for a clinical trial based on the detecting step.

10

11 ⁴⁶~~3r~~ A method of testing a subject comprising the steps of:

12 providing a sample isolated from a subject;

13 detecting expression or activity of a gene encoding the polypeptide of SEQ ID NO:3 in
14 the sample; and

15 stratifying the subject for a clinical trial based on the detecting step.

16

17 ⁴⁷~~4r~~ A method of testing a subject comprising the steps of:

18 providing a sample isolated from the subject;

19 detecting expression or activity of at least two genes selected from the group consisting
20 of: a gene encoding the polypeptide of SEQ ID NO:1, SEQ ID NO:2, and SEQ ID NO:3 in the
21 sample; and

22 stratifying the subject for a clinical trial based on the detecting step.

23

24 ⁴⁸~~5r~~ The method of any of claims ^{44 45 46 47}~~1r, 2r, 3r, or 4r~~, wherein the detecting step comprises detecting
25 the polypeptide or polypeptides.

26

27 ⁴⁹~~6r~~ The method of claim ⁴⁸~~5r~~, wherein the polypeptide is detected by performing

28 immunohistochemical analysis on the sample using an antibody that specifically binds to the
29 polypeptide.

109220 54997660
0916345 072601

1
2 ⁵⁶ 6ra. The method of claim ⁴⁸ 5r, wherein the polypeptide is detected by performing an ELISA assay
3 using an antibody that specifically binds to the polypeptide.

4
5 ⁵¹ 6rb. The method of claim ⁴⁸ 5r, wherein the polypeptide is detected using an antibody array
6 comprising an antibody that specifically binds to the polypeptide.

7
8 ⁵² 6rc. The method of claim ⁴⁸ 5r, wherein the detecting step comprises:
9 detecting modification of a substrate by the polypeptide.

10
11 ⁵³ 9r. The method of any of claims ^{44 45 46 47} 1r, 2r, ~~3r~~, or ~~4r~~, wherein the sample is selected from the group
12 consisting of:
13 a blood sample, a urine sample, a serum sample, an ascites sample, a saliva sample, a cell,
14 and a portion of tissue.

15
16 ⁵⁴ 10r. The method of any of claims ^{44, 45, 46 47} 1r, ~~2r~~, ~~3r~~, or ~~4r~~, wherein the sample is a tumor sample.

17
18 ⁵⁵ 11r. The method of claim ⁵⁴ 10r, wherein the tumor sample is a breast tumor sample.

19
20 ⁵⁶ 12r. A method of testing a subject comprising the steps of:
21 providing a sample isolated from a subject;
22 detecting expression or activity of a gene encoding the polypeptide of SEQ ID NO:1 in
23 the sample; and
24 selecting a treatment based on the detecting step.

25
26 ⁵⁷ 22r. A method of testing a subject comprising the steps of:
27 providing a sample isolated from a subject;
28 detecting expression or activity of a gene encoding the polypeptide of SEQ ID NO:2 in
29 the sample; and

1 selecting a treatment based on the detecting step.

2 58

3 3q. A method of testing a subject comprising the steps of:

4 providing a sample isolated from a subject;

5 detecting expression or activity of a gene encoding the polypeptide of SEQ ID NO:3 in
6 the sample; and

7 selecting a treatment based on the detecting step.

8 59

9 4q. A method of testing a subject comprising the steps of:

10 providing a sample isolated from the subject;

11 detecting expression or activity of at least two genes selected from the group consisting
12 of: a gene encoding the polypeptide of SEQ ID NO:1, SEQ ID NO:2, and SEQ ID NO:3 in the
13 sample; and

14 selecting a treatment based on the detecting step.

15 60

16 5q. The method of any of claims 1q, 2q, 3q, or 4q, wherein the detecting step comprises detecting
17 the polypeptide or polypeptides.

18 61

19 6q. The method of claim 5q, wherein the polypeptide is detected by performing
20 immunohistochemical analysis on the sample using an antibody that specifically binds to the
21 polypeptide.

22 62

23 6qa. The method of claim 5q, wherein the polypeptide is detected by performing an ELISA assay
24 using an antibody that specifically binds to the polypeptide.

25 63

26 6qb. The method of claim 5q, wherein the polypeptide is detected using an antibody array
27 comprising an antibody that specifically binds to the polypeptide.

28 64

29 6qc. The method of claim 5q, wherein the detecting step comprises:

detecting modification of a substrate by the polypeptide.

65 9q. The method of any of claims ^{60, 61, 62, 63} 1q, 2q, 3q, or 4q, wherein the sample is selected from the group consisting of:

a blood sample, a urine sample, a serum sample, an ascites sample, a saliva sample, a cell, and a portion of tissue.

66 10m. The method of any of claims ^{33, 34, 35, 36} 1m, 2m, 3m, or 4m, wherein the sample is a tumor sample.

67 11m. The method of claim ⁶⁶ 10m, wherein the tumor sample is a breast tumor sample.

68 20. An antibody that specifically binds to an epitope found in a polypeptide whose amino acid sequence the amino acid sequence of SEQ ID NO:1, and wherein the antibody recognizes basal cells in normal mammary lactation glands.

69 21. The antibody of claim ⁶⁸ 21, wherein the antibody distinguishes basal cells from luminal cells in normal mammary lactation glands.

70 22. The antibody of claim ⁶⁸ 20, wherein the antibody is a monoclonal antibody.

71 23. The antibody of claim ⁶⁸ 20, wherein the antibody is a polyclonal antibody.

72 24. The antibody of claim ⁶⁸ 20, wherein the antibody recognizes an epitope found in a peptide having an amino acid sequence selected from the group consisting of SEQ ID NO:4, SEQ ID NO:5, and SEQ ID NO:6.

73 25. An antibody that specifically binds to an epitope found in a polypeptide whose amino acid sequence comprises the amino acid sequence of SEQ ID NO:2, and wherein the antibody recognizes basal cells in normal mammary lactation glands.

1 ⁷⁴
2 ~~26~~⁷³. The antibody of claim ~~25~~⁷³, wherein the antibody distinguishes basal cells from luminal cells in
3 normal mammary lactation glands.

4 ⁷⁵
5 ~~27~~⁷³. The antibody of claim ~~25~~⁷³, wherein the antibody is a monoclonal antibody.

6 ⁷⁶
7 ~~28~~⁷³. The antibody of claim ~~25~~⁷³, wherein the antibody is a polyclonal antibody.

8 ⁷⁷
9 ~~29~~⁷³. The antibody of claim ~~25~~⁷³, wherein the antibody recognizes an epitope found in a peptide
10 having an amino acid sequence selected from the group consisting of SEQ ID NO:7, SEQ ID
11 NO:8, and SEQ ID NO:9.

12 ⁷⁸
13 ~~30~~⁷⁸. An antibody that specifically binds to an epitope found in a polypeptide whose amino acid
14 sequence comprises the amino acid sequence of SEQ ID NO:3, and wherein the antibody
15 recognizes basal cells in normal mammary lactation glands.

16 ⁷⁹
17 ~~31~~⁷⁸. The antibody of claim ~~30~~⁷⁸, wherein the antibody distinguishes basal cells from luminal cells in
18 normal mammary lactation glands.

19 ⁸⁰
20 ~~32~~⁷⁸. The antibody of claim ~~30~~⁷⁸, wherein the antibody is a monoclonal antibody.

21 ⁸¹
22 ~~33~~⁷⁸. The antibody of claim ~~30~~⁷⁸, wherein the antibody is a polyclonal antibody.

23 ⁸²
24 ~~34~~⁷⁸. The antibody of claim ~~30~~⁷⁸, wherein the antibody recognizes an epitope found in a peptide
25 having an amino acid sequence selected from the group consisting of SEQ ID NO:10, SEQ ID
26 NO:11, and SEQ ID NO:12.

27 ⁸³
28 ~~35~~⁸³ A kit for tumor diagnosis comprising:
29 one or more of the antibodies of any of claims ~~20~~⁶⁸ through ~~34~~⁸²;

00916849-072601

1 instructions for use of the kit; and

2 a control slide comprising breast tissue samples for testing reagents in the kit.

3
84

4 40. A method of testing a compound or a combination of compounds for activity against tumors
5 comprising steps of:

6 obtaining or providing tumor samples taken from subjects who have been treated with the
7 compound or combination of compounds, wherein the tumors fall within a tumor subclass;

8 comparing the response rate of tumors that fall within the tumor subclass and have been
9 treated with the compound with the overall response rate of tumors that have been treated with
10 the compound or combination of compounds or with the response rate of tumors that do not fall
11 within the subclass and have been treated with the compound or combination of compounds; and

12 identifying the compound or combination of compounds as having selective activity
13 against tumors in the tumor subclass if the response rate of tumors in the subclass is greater than
14 the overall response rate or the response rate of tumors that do not fall within the subclass.

15
85

16 41. The method of claim 40, wherein the tumors are breast tumors.

17
86

18 42. The method of claim 41, wherein the tumor subclass is a basal tumor subclass.

19
87

20 43. The method of claim 41, wherein the tumors are classified according to the method of any of
21 claims 1, 2, 3, or 4.

22
88

23 44. The method of claim 41, wherein the tumor subclass is a basal tumor subclass and wherein a
24 tumor is identified as belonging to the tumor subclass based on evidence of expression of one or
25 more basal marker genes in the sample.

26
89

27 45. The method of claim 44, wherein evidence of expression comprises presence of a protein
28 encoded by a basal marker gene, and wherein the evidence of expression is obtained using an
29 antibody that binds to the protein.

09916849.072601
109220.6487660

1 ⁹⁰
2 ⁸⁹ 46. The method of claim 45, wherein the basal marker gene encodes a polypeptide comprising
3 the amino acid sequence of SEQ ID NO:1.

4 ⁹¹
5 ⁸⁸ 47. The method of claim 45, wherein the basal marker gene encodes a polypeptide comprising
6 the amino acid sequence of SEQ ID NO:2.

7 ⁹²
8 ⁸⁹ 48. The method of claim 45, wherein the basal marker gene encodes a polypeptide comprising
9 the amino acid sequence of SEQ ID NO:3.

10 ⁹³
11 ⁸⁴ 49. The method of claim 40, wherein the samples are present within a tissue array.

12 ⁹⁴
13 50. A method of testing a compound or a combination of compounds for activity against tumors
14 comprising steps of:

15 treating subjects in need of treatment for tumors with the compound or combination of
16 compounds;

17 comparing the response rate of tumors that fall within a tumor subclass with the overall
18 response rate of tumors or with the response rate of tumors that do not fall within the subclass;
19 and

20 identifying the compound or combination of compounds as having selective activity
21 against tumors in the tumor subclass if the response rate of tumors in the subclass is greater than
22 the overall response rate or the response rate of tumors that do not fall within the subclass.

23 ⁹⁵
24 ⁹⁴ 51. The method of claim 50, further comprising the steps of:
25 providing tumor samples from subjects in need of treatment for tumors;
26 determining whether the tumors fall within a tumor subclass; and
27 stratifying the subjects based on the results of the determining step prior to performing
28 the treating step.

29

0091649.072601

1 ⁹⁶~~62~~. The method of claim ⁹⁵~~60~~, further comprising the steps of:
2 providing tumor samples from subjects in need of treatment for tumors;
3 detecting expression or activity of a gene encoding the polypeptide of SEQ ID NO:1 in
4 the samples; and
5 stratifying the subjects based on the results of the detecting step prior to performing the
6 the treating step.

7 ⁹⁷~~63~~. The method of claim ⁹⁵~~60~~, further comprising the steps of:
8 providing tumor samples from subjects in need of treatment for tumors;
9 detecting expression or activity of a gene encoding the polypeptide of SEQ ID NO:2 in
10 the samples; and
11 stratifying the subjects based on the results of the detecting step prior to performing the
12 treating step.

13 ⁹⁸~~64~~. The method of claim ⁹⁵~~60~~, further comprising the steps of:
14 providing tumor samples from subjects in need of treatment for tumors;
15 detecting expression or activity of a gene encoding the polypeptide of SEQ ID NO:3 in
16 the samples; and
17 stratifying the subjects based on the results of the detecting step prior to performing the
18 treating step.

19 ⁹⁹~~65~~. The method of claim ⁹⁵~~60~~, further comprising the steps of:
20 providing tumor samples from subjects in need of treatment for tumors;
21 detecting expression or activity of at least two genes, wherein each of the genes encodes a
22 polypeptide whose sequence comprises a sequence selected from the group consisting of SEQ ID
23 NO:1, SEQ ID NO:2, and SEQ ID NO:3 in the samples; and
24 stratifying the subjects based on the results of the detecting step prior to performing the
25 treating step.

1092220.64391660

1 ~~100~~ 80. A method of testing a compound or a combination of compounds for activity against tumors
2 comprising steps of:
3 treating subjects in need of treatment for tumors with the compound or combination of
4 compounds or with an alternate compound, wherein the tumors fall within a tumor subclass;
5 comparing the response rate of tumors treated with the compound or combination of
6 compounds with the response rate of tumors treated with the alternate compound; and
7 identifying the compound or combination of compounds as having superior activity
8 against tumors in the tumor subclass, as compared with the alternate compound, if the response
9 rate of tumors treated with the compound or combination of compounds is greater than the
10 response rate of tumors treated with the alternate compound.

11 ~~100~~ 81. The method of claim ~~80~~ ¹⁰⁰, further comprising the steps of:
12 providing tumor samples from subjects in need of treatment for tumors;
13 determining whether the tumors fall within a tumor subclass; and
14 stratifying the subjects based on the results of the determining step prior to performing
15 the treating step.

16 ~~100~~ 82. The method of claim ~~80~~ ¹⁰⁰, further comprising the steps of:
17 providing tumor samples from subjects in need of treatment for tumors;
18 detecting expression or activity of a gene encoding the polypeptide of SEQ ID NO:1 in
19 the samples; and
20 stratifying the subjects based on the results of the detecting step prior to performing the
21 treating step.

22 ~~100~~ 83. The method of claim ~~80~~ ¹⁰⁰, further comprising the steps of:
23 providing tumor samples from subjects in need of treatment for tumors;
24 detecting expression or activity of a gene encoding the polypeptide of SEQ ID NO:2 in
25 the samples; and
26



1 stratifying the subjects based on the results of the detecting step prior to performing the
2 treating step.

3
4 ¹⁰⁴84. The method of claim ¹⁰⁰80, further comprising the steps of:
5 providing tumor samples from subjects in need of treatment for tumors;
6 detecting expression or activity of a gene encoding the polypeptide of SEQ ID NO:3 in
7 the samples; and
8 stratifying the subjects based on the results of the detecting step prior to performing the
9 treating step.

10
11 ¹⁰⁵85. The method of claim ¹⁰⁰80, further comprising the steps of:
12 providing tumor samples from subjects in need of treatment for tumors;
13 detecting expression or activity of at least two genes, wherein each of the genes encodes a
14 polypeptide whose sequence comprises a sequence selected from the group consisting of SEQ ID
15 NO:1, SEQ ID NO:2, and SEQ ID NO:3 in the samples; and
16 stratifying the subjects based on the results of the detecting step prior to performing the
17 treating step.

18
19 ¹⁰⁶86. The method of any of claims ^{100, 101, 102, 103, 104 or 105}80, 81, 82, 83, 84, or 85, wherein the alternate compound is a
20 compound approved by the U.S. Food and Drug administration for treatment of tumors.

21
22 ¹⁰⁷100. A method of treating a subject comprising steps of:
23 identifying a subject as having a tumor in a basal tumor subclass; and
24 ⁸⁷administering a compound identified according to the method of any of claims ^{84, 85, 86}80, 81, 82,
25 or ⁸⁷85 to the subject.

26
27 ¹⁰⁸101. A method of treating a subject comprising steps of:
28 identifying a subject as having a tumor in a basal tumor subclass; and

09916849 072601

09916349.072604
FD3270 67397650

1 administering a compound identified according to the method of any of claims ~~94, 95, 96~~
2 ~~97, 98, 99~~ ~~63, 64~~, or ~~65~~ to the subject.

3 ~~100~~
4 ~~103~~. A method of treating a subject comprising steps of:
5 identifying a subject as having a tumor in a basal tumor subclass; and
6 administering a compound identified according to the method of any of claims ~~100, 101, 102~~
7 ~~103, 104, 105~~ ~~83, 84~~, or ~~85~~ to the subject.

8 ~~109~~
9 ~~120~~. A method of treating a subject comprising steps of:
10 providing a subject in need of treatment for cancer;
11 administering to the subject an antibody that specifically binds to a polypeptide having an
12 amino acid sequence comprising the sequence of SEQ ID NO:1.

13 ~~110~~
14 ~~121~~. A method of treating a subject comprising steps of:
15 providing a subject in need of treatment for a tumor;
16 administering to the subject an antibody that specifically binds to a polypeptide having an
17 amino acid sequence comprising the sequence of SEQ ID NO:2.

18 ~~111~~
19 ~~122~~. A method of treating a subject comprising steps of:
20 providing a subject in need of treatment for a tumor;
21 administering to the subject an antibody that specifically binds to a polypeptide having an
22 amino acid sequence comprising the sequence of SEQ ID NO:3.

23 ~~114~~
24 ~~130~~. The method of any of claims ~~111, 112, 113~~ ~~120, 121~~, or ~~122~~, wherein the tumor is a breast tumor, and
25 wherein the method further comprises the step of:
26 identifying the tumor as belonging to a basal tumor subclass.

27 ~~115~~
28 ~~131~~. The method of any of claims ~~114, 115, 116~~ ~~120, 121~~, or ~~122~~, wherein the antibody is conjugated with a
29 toxic molecule.

09916849.072601
T09220.648T660

116
140. A method of treating a subject comprising steps of:

providing a subject in need of treatment for cancer;

administering to the subject a compound that activates or inhibits a gene that encodes an amino acid having a sequence comprising the sequence of SEQ ID NO:1, or that activates or inhibits an expression product of the gene.

117
141. A method of treating a subject comprising steps of:

providing a subject in need of treatment for a tumor;

administering to the subject a compound that activates or inhibits a gene that encodes an amino acid having a sequence comprising the sequence of SEQ ID NO:2, or that activates or inhibits an expression product of the gene.

118
142. A method of treating a subject comprising steps of:

providing a subject in need of treatment for a tumor;

administering to the subject a compound that activates or inhibits a gene that encodes an amino acid having a sequence comprising the sequence of SEQ ID NO:3, or that activates or inhibits an expression product of the gene.

119
150. A composition comprising:

two or more compounds identified according to the method of any of claims 40, 60, or 80.

120
151. A pharmaceutical composition comprising:

the composition of claim 150; and

a pharmaceutically acceptable carrier.

121
160. A composition comprising:

a compound identified according to the method of any of claims 83, 93, 99, 40, 60, or 80;

1 a second compound, wherein the second compound is approved by the U.S. Food and
2 Drug administration for the treatment of cancer or has shown potential efficacy against cancer in
3 pre-clinical studies.

4 ~~123~~
5 ~~161~~ A pharmaceutical composition comprising:
6 the composition of claim ~~160~~ ¹¹⁹; and
7 a pharmaceutically acceptable carrier.
8

09945649 072501
109220 6499660